## Total number of printed pages-7

3 (Sem-6/CBCS) ZOO HC 2

## 2025

## ZOOLOGY

(Honours Core)

Paper: ZOO-HC-6026

(Evolutionary Biology)

Full Marks: 60

Time: Three hours

## The figures in the margin indicate full marks for the questions.

- 1. Choose the correct option from the following questions:  $1 \times 7 = 7$ 
  - (i) A population has 36% of homozygous recessive genotype 'pp'. The frequency of allele 'p' is
    - (a) 40%
    - (b) 50%
    - (c) 60%
    - (d) 70%

- (ii) Which of the following is the first genetic material?
  - (a) RNA
  - (b) DNA
  - (c) Amino acid
  - (d) Nucleic acid
- (iii) Kimura suggested that most evolutionary changes at the molecular level are due to random genetic drift.

  This is known as
  - (a) Theory of natural selection
  - (b) Neutral theory of molecular evolution
  - (c) Theory of equilibrium
  - (d) Theory of germplasm

- (iv) The reduction in a population's average fitness due to the presence of deleterious alleles or genotypes in the gene pool is known as
  - (a) Genetic drift
  - (b) Mutation
  - (c) Genetic load
  - (d) Relative fitness
- (v) The ancient primates, believed to be the common ancestors of both apes and humans, who lived during the middle to late Miocene period are
  - (a) Dryopithecus
  - (b) Ramapithecus
  - (c) Australopithecus
  - (d) Sivapithecus

- (vi) Choose the incorrect statement regarding the terminologies of a phylogenetic tree.
  - (a) Branches are the lines in the tree.
  - (b) Tips of the branches have long lost species.
  - (c) Nodes indicate common ancestors where lineages diverge.
  - (d) The root represents the common ancestor of all the taxa.
- (vii) A small group of individuals from a larger population migrates to a new location and establishes a new population. This is known as
  - (a) Bottleneck effect
  - (b) Founder effect
  - (c) Natural selection
  - (d) Adaptation

- 2. Answer the following questions: 2×4=8
  - (i) What is the basic difference between Lamarckism and Darwinism?
  - (ii) What is the difference between connecting link and missing link?
  - (iii) What is the advantage of Heterozygous superiority?
  - (iv) What do you mean by 'root' and 'branch' in a phylogenetic tree?
- 3. Write short notes on: (any three) 5×3=15
  - (i) Theory of Endosymbiosis
  - (ii) Convergent and divergent evolution
  - (iii) Adaptive radiation
  - (iv) K-T extinction
  - (v) Natural selection and its types

5

- Answer any three of the following questions: 10×3=30
  - Describe the key concepts of Darwin's theory of evolution. What are the differences between Darwinism and Neo-Darwinism? 7+3=10
  - What are fossils? Describe different (ii) types of fossils with examples. 1+9=10
  - (iii) What are the sources of hereditary variation and their role in evolution? Elaborate it. 5+5=10
  - (iv) (a) State the Hardy-Weinberg principle of equilibrium. Mention the conditions required for a population to be in Hardy-Weinberg equilibrium. 1+5=6
    - (b) In a population of 1000 individuals, 36% of the individuals are recessive homozygotes for a certain trait. Calculate the number homozygous dominant individuals and heterozygous individuals. (Assume that the population is in Hardy-Weinberg equilibrium) 4

(v) What do you mean by speciation? Describe the different modes of speciation with suitable examples.

1+9=10

(vi) What are hominin characteristics? Describe the evolution of man from Australopithecus to Homo sapiens.

3+7=10

B01FS 0158