Total number of printed pages-12

3 (Sem-6/CBCS) CHE HC 2

(iv) CH3-

2022

CHEMISTRY

(Honours)

Paper: CHE-HC-6026

(Organic Chemistry-V)

Full Marks: 60

Time: Three hours

The figures in the margin indicate full marks for the questions.

- 1. Answer the following questions: (any seven)

 1×7=7
- (a) Give an example of edible dye.
 - (b) Which one of the following is most reactive for anionic polymerization?
 - (i) $CH_2 = CH NO_2$

The auxochrome group in the picric

(ii) $CH_2 = CH - CH_3$

(iii)
$$CH_2 = CH - C_6H_5$$

(iv)
$$CH_3 - C = CH_2$$

 CH_3

- Which of the following is laevorotatory?
 - Glucose (i)

3 (Sem-6/CBCS) CHE HC 2

- Fructose Dinamo
- Sucrose
- (iv) Cellulose
- (d) Fill in the blank:

The auxochrome group in the picric acid is reward world and reward

- The electronic transition, which requires maximum energy is
- Which one of the $\sigma \sigma^*$ in anomaly reserve for unions con σ .

 - (iii) $n \rightarrow \pi^*$
 - (iv) $n \rightarrow \sigma^*$

- (f) Which of the following compounds absorb UV radiation?
 - Heptane
 - (ii) Benzene la notice ent
 - (iii) Butadiene
 - (b) Glucosides neither entered (d)
- (g) Which of the following compounds does not show mutarotation?
- Glucose per seri ro sinoms (i) the
- fructosenonom gniwollol
 - (iii) Maltose
 - (iv) Sucrose
 - How many stereoisomers should an aldohexose have?
 - (i) Ribose and xylose are
 - epimers 0 HO = HO (iii)
 - anomers
 - disaccharide = HO W
 - (iv) optically inactive
 - What are the constituents of starch?

- Give answer of the following: (any four) $2 \times 4 = 8$
 - Write the expected products by showing the reaction of hydrolysis of lactose.
 - Glucosides neither give positive test (b) with Fehling solution or Tollen's reagent nor undergo mutarotation. Explain.
 - Indicate the mechanism, cationic, anionic or free radical-by which the following monomers will undergo polymerization:

(i)
$$CH_2 = C < CH_3$$
 CH₃ CH₃ (ui)

(ii)
$$CF_2 = CF_2$$
 every seem-debta

(iii)
$$CH_2 = CH - OCOCH_3$$

(iv)
$$CH_2 = C \underbrace{CN}_{CN}$$

(d) Give the method of preparation and uses of PVC and neoprene.

- (e) How do you explain the greater stability β -D(+)-glucopyranose?
- Why is the λ_{max} for the diene (I) low than diene (II).

- "Though azobenzene is a coloured compound it is not used as a dye." Explain why.
- (h) Fill in the blanks:
 - Amylose is a _____ polymer of
 - Amylopectin is a _____ polymer
- Answer any three of the following: 5×3=15
 - (a) (i) Draw the cyclic anomeric forms of D-fructose.
 - Give the mechanism for hydrolysis of glycoside under acidic condition. 1+4=5

- vil (b) Explain the following : b woll 2½×2=5

 - Chemical shift
 - (ii) Spin-spin coupling
 - Differentiate thermoplastic and (c) thermosetting polymers.
 - Give the mechanism of acid catalyzed formation of phenolformaldehyde resin.

6=2×2/2 "Though azobenzeneris a coloured

- compound it is not used as a dye." (d) How many proton signals would be expected in NMR spectra of each of the following compounds? 2½×2=5 polymer of (i)
 - ClCH₂CH₂CH₂OH
- (ii) CH₃ O CH₂ CH₃
 - Differentiate the following by giving one example of each :

 $2\frac{1}{2} \times 2 = 5$

- (i) Reducing sugar and non-reducing sugar
- (ii) Sugar and non-sugar

- Find out the correct answer of the following: OHO plumo $1 \times 5 = 5$
 - Glucose cannot be clarified as (hexose, an oligosaccharide, an aldose, a monosaccharide)
- (ii) the The monosaccharide obtained by hydrolysis of starch is (D-glucose, maltose, D-galactose, D-ribose)
- The product which is not derived (iii) alizarin from cellulose is (rayon, insulin, gun cotton, paper)
 - Carbohydrates are stored in the body as (sugars, starch, glucose, glycogen)
 - Hydrolytic conversion of sucrose into glucose and fructose is called (induction, insertion, inversion, inhibition)
- (g) (i) A very strong characteristic absorption for -C = C - stretching vibration is observed base cis-2-butene but not for trans-2butene. Explain briefly.

- (ii) A compound A having molecular formula C_3H_6O gave the following IR spectral data:

 2720 cm^{-1} and 2820 cm^{-1} (doublet) and 1730 cm^{-1} (singlet).

 Deduce the structure of the compound A and also explain the spectral data.
 - (h) (i) What is a leuco base? How can it be converted into a dye?
 - (ii) How will you synthesize alizarin from anthraquinone?

2½×2=5

- 4. Answer **any three** of the following: 10×3=30
 - (a) (i) What is Ziegler-Natta polymerization? Discuss its special importance in the synthesis of addition polymers.

1+4=5

(ii) What is Nylon-66?


2

write the structures of monomer unit for the following polymers:

3

Polyvinyl chloride, Teflon and Rubber

- (b) (i) A pleasant smelling liquid having molecular formula C₉H₁₀O₂ shows three singlets in the NMR spectrophotometry at δ 7·31 (5H), 5·08 (2H) and 2·06 (3H) and an IR peak at 1730cm⁻¹ but none near 3350cm⁻¹. Identify the compound.
 - (ii) What kind of transition of the compound CH_3OCH_3 gives rise to the 185nm absorption?
 - (iii) Which one of the following would be expected to absorb light of longest and shortest wavelength and why?



- (c) (i) Explain the following: 2×2=4
 - (a) *H*-bonding raises the wavelength of absorption.
 - (b) -1 effect raises the wave number of absorption.

- onivadii) How will you distinguish the aworks On following by spectroscopy? 3×2=6
 - (A) Salicyclic acid and p-hydroxybenzoic acid (by IR).
- SI ns bns (B) ClCH2CH2Cl and CH3CHCl2 peak (RMN HI vd) but none near
 - Give the structural formula of the following: $2 \times 3 = 6$
 - (a) Fluorescein
 - (b) Congo red
 - Methyl Orange
 - What Chromophore is group present in-is teason $1 \times 2 = 2$
 - (a) fluoroscein in alkaline medium;
 - (b) malachite green?
 - Which one of the following is highly coloured?

	(iv)	What is Witt's theory of colour and constitution of dye?
2)	(i)	Give the concept of poly-dispersion in polymers.
	(ii)	How will you synthesize

- polystyrene from benzene?
- State the differences between addition and condensation polymerization.
- (iv) Give reasons why PVC is soft and flexible whereas bakelite is hard and brittle.
- Write notes on the following: $2 \times 5 = 10$
 - Co-polymerisation
 - Rubber (ii)
 - Configuration of polymer chains (iii)
 - Polymer classification (iv)
 - Electrically conducting polymers (v)
- Explain why the polysaccharide do (i) (g)not mutarotate.
 - Give the structures of sucrose, lactose and maltose.

(iii) our and	Fill	in the blanks: 1×5=5
	(A)	D-glucose is an epimer of
-dispersion	(B)	Ketoses have less number of
	(C)	than aldoses. Mild oxidation of glucose gives
ene?h/ 3 s between	(D)	is present mostly as
densation	(E)	furanose. The common form of glucose as represented by Haworth
is soft and		
(h) (a)		y is ESR spectrum recorded in vative mode? 1
(d) 2×5=10	Hov	w many ESR lines are observed nethyl radical? Explain. 2
(c)	In usu	which region of the δ -scale ally aromatic hydrogens absorb ¹ H NMR spectrum and why?
(b) polymers	spe	w would you expect the ¹ H NMR ctrum of ethanol to vary when
ccharide do		pure ethanol;
of sucrose,	(ii)	ethanol in presence of small amount of water?