

2 0 1 8

PHYSICS

(Major)

Paper : 1.2

Full Marks : 60

Time : 3 hours

*The figures in the margin indicate full marks
for the questions*

SECTION—I

(Waves and Oscillations)

(Marks : 40)

1. (a) What is the phase difference between the displacement and acceleration of a particle executing SHM? 1
- (b) A wave $y = a \sin(\omega t - kx)$ on a string meets with another wave producing a node at $x = 0$. Write the wave equation of the unknown wave. 1
- (c) What is reverberation of sound? 1
- (d) The function $f(x) = x^2$ is defined within the interval $-\pi \leq x \leq \pi$ and outside it is periodic. State whether the function is even or odd within $-\pi \leq x \leq \pi$. 1

(2)

2. (a) What is sharpness of resonance? Explain the effect of damping on the sharpness of resonance. 2
- (b) The phase velocity V depends on the wavelength λ according to relation $V = A\sqrt{\lambda}$, where A is constant. Show that group velocity is half of the phase velocity. 2
- (c) If the displacement x and velocity V of a particle executing simple harmonic motion are related through the expression $4V^2 = 25 - x^2$, then calculate its time period. 2
3. Answer any two questions : $5 \times 2 = 10$
- (a) Show that in case of damped oscillation the loss of energy is equal to the rate of work done against the resistive force.
- (b) A particle is simultaneously subjected to two simple harmonic motions moving in the same direction, each of same frequency but of different amplitude. If phase difference between them is $\pi/4$, find the amplitude of the resultant motion and the phase relation to one of the components.
- (c) Derive the expression for the velocity of transverse wave propagating in a stretched string under tension.

(3)

Answer any two questions :

4. Find the Fourier series for a function

$$f(x) = 0, \text{ for } -\pi < x < 0 \\ = h, \text{ for } 0 < x < \pi$$

What are the conditions for a function which can be expanded by Fourier series? $7+3=10$

5. What are beats? Give an analytical description of the phenomenon of beats. Show that the beat frequency is equal to the difference of frequencies of the component oscillations. $2+4+4=10$
6. (a) Show that intensity of sound wave at a point is given by
- $$I = \frac{P_{rms}^2}{\rho V}$$
- where P_{rms} is root mean square velocity of excess pressure, ρ is the density of the gaseous medium and V is the velocity of sound. 6
- (b) If intensity level of a sound is increased by 1 dB, then calculate the percentage increase of intensity of the sound. 4

(4)

7. (a) A transverse wave is represented by

$$y = y_0 \sin \frac{2\pi}{\lambda} (vt - x)$$

Find the value of λ for which the maximum particle velocity becomes equal to twice the wave velocity.

4

- (b) For a particle executing SHM, show that its average kinetic energy is equal to half of its total energy.

6

SECTION—II

(Ray Optics)

(Marks : 20)

Answer any **four** questions

8. State Fermat's principle for stationary path with the mathematical relation of optical path variation. Establish the Fermat's principle for refraction at curved surface.

2+3=5

9. What do you mean by translation matrix? Find out an expression of translation matrix which transforms a ray $\begin{bmatrix} \lambda_1 \\ x_1 \end{bmatrix}$ into the ray $\begin{bmatrix} \lambda_2 \\ x_2 \end{bmatrix}$ during translation through a distance d in a homogenous medium.

1+4=5

(5)

10. A concave lens is placed at a distance of 25 cm in front of a concave mirror of focal length 20 cm. It is found that a pin placed at a distance of 45 cm in front of the lens coincide with its own inverted image formed by the combination. Using refraction matrix, find the focal length of the lens.

5

11. What is spherical aberration in a lens? What is circle of least confusion in this aberration? Find out the condition for minimisation of spherical aberration by using two lenses separated by finite distance.

1+1+3=5

12. Write a short note on any one of the following :

5

- (a) Chromatic aberration and its elimination
- (b) High power oil immersion objective

★ ★ ★