3 (Sem-5) CHM M 4

2018

CHEMISTRY

(Major)

Paper: 5.4

(Inorganic Chemistry)

Full Marks: 60

Time: 3 hours

The figures in the margin indicate full marks for the questions

1. Choose the correct option of the following:

 $1 \times 7 = 7$

- (a) The point-group symmetry for boric acid B(OH)₃ is
 - (i) D_3h
 - (ii) C₃
 - (iii) C₃h
 - (iv) C_{3v}
- (b) Three-fold axes of symmetry are present in
 - (i) octahedron
 - (ii) tetrahedron
 - (iii) pentagonal bipyramid
 - (iv) square planar

- (c) Which of the following complexes has the shortest C—O bond?
 - (i) [V(CO)₆]
 - (ii) [Cr(CO)6]
 - (iii) [Mn(CO)₆]+
 - (iv) [Ti(CO)6]2-
- (d) The metalloprotein which is involved in the storage of iron in living system is
 - (i) ferredoxin
 - (ii) haemoglobin
 - (iii) myoglobin
 - (iv) ferritin
- (e) The crystal field stabilization energy for a d⁶-ion in a weak octahedral filed is
 - (i) 0.4A_o
 - (ii) 0.6∆_o
 - (iii) $0.8\Delta_o$
 - (iv) $1 \cdot 2\Delta_o$

- (f) In biological system, the metal ion present in the enzyme carbonic anhydrase is
 - (i) Co²⁺
 - (ii) Zn 2+
 - (iii) Fe3+
 - (iv) Mn 2+
- (g) Which of the following is the correct order of ligand strength?
 - (i) $H_2O < OX < NH_3 < NCS^-$
 - (ii) $NCS^- < H_2O < OX < NH_3$
 - (iii) $OX < H_2O < NCS^- < NH_3$
 - (iv) $NCS^- < NH_3 < H_2O < OX$
- 2. Write the following very short answer-type questions: 2×4=8
 - (a) Taking suitable example, show that

$$S_4^2 = C_2$$

- (b) Formulate neutral 18-electron complexes of chromium which contain only cyclopentadienyl and nitrosyl ligands.
- (c) The tetrahedral crystal field splitting Δ_t is roughly half $\left(\frac{4}{9}\Delta_o\right)$ of the octahedral splitting Δ_o . Explain.
- (d) Show by means of a diagram, how the pattern of d-orbital splitting changes as an octahedral complex undergoes tetragonal distortion and eventually becomes a square planar complex.
- **3.** Write the following short answer-type questions (any *three*): 5×3=15
 - (a) What are symmetry elements and symmetry operations? A molecule is assigned with the point group D_4h . Taking appropriate example, show all the symmetry elements present in it.
 - (b) Discuss different modes of coordination of allyl ligands. How are allyl organometallics prepared? Draw the structure and verify the 18-electron rule for the allyl complex [Mn(C₃H₅)(CO)₄].

- (c) What is crystal field stabilization energy? For each of the following pairs of complexes, identify the one that has the largest CFSE:
 - (i) $[Cr(H_2O)_6]^{2+}$ or $[Mn(H_2O)_6]^{2+}$
 - (ii) $[Fe(CN)_6]^{3-}$ or $[Ru(CN)_6]^{3-}$
- (d) Write briefly about Na/K pump in biology. Why is saline solution (e.g., ORS) prescribed to patient suffering from diarrhoea?
- (e) In the crystal structure of CuF₂, the Cu²⁺ ion is six coordinates with four F⁽⁻⁾ at a distance of 1.93 Å and two F⁽⁻⁾ at 2.27 Å. Explain the reason for this.
- **4.** Answer the following essay-type questions (any *three*): 10×3=30
 - (a) (i) Discuss the conditions under which a group of symmetry elements forms a group.
 - (ii) Find the symmetry elements and respective point groups for the following molecules:
 - (1) CO_2
 - (2) [PtCl₄]²⁻
 - (3) NH_3

A9/281

4+6=10

(b) Taking the general formula M^{II}[M^{III}]O₄, discuss normal and inverse spinels (where M^{II} is the group IIA elements or transition metal in +2 oxidation state and M^{III} is the group IIIA metal or transition metal in +3 oxidation state). With the help of CFSE calculation, verify the spinel nature of Fe₃O₄ and Mn₃O₄.

4+6=10

- (c) (i) Discuss the functions of haemoglobin and myoglobin.

 Explain the terms 'cooperative effect' and 'Bohr effect'.
 - (ii) Give an account of toxicity arising from dioxygen in the living system.

6+4=10

- (d) (i) What do you mean by hydroformylation reaction? Discuss the main features and the mechanism by taking a suitable example.
 - (ii) Explain the preparation, structure and bonding in Zeise salt. The IR stretching frequency of the C=C bond in metal ethylene complex is found to be 1576 cm⁻¹ whereas the corresponding frequency for free C₂H₄ is 1625 cm⁻¹. Explain. 5+5=10

(e) The M—M bond lengths for the complexes V₂(CO)₄Ph₂P(Bu)₂ and MO₂(CH₂Ph)₆ are 2.92 and 2.17 Å respectively. Write what you know about M—M bonding and give the reason for this trend. Discuss the formation of a quadruple bond between Re atoms in [ReCl₈]²⁻ showing overlap between orbitals involved in M—M bonding.

2+8=10

* * *