2018

MATHEMATICS

(Major)

Paper: 5.2

(Topology)

Full Marks: 60

Time: 3 hours

The figures in the margin indicate full marks for the questions

- **1.** Answer the following questions: $1 \times 7 = 7$

 - Describe the open spheres for any (a) discrete metric space (X, d).
 - Find the derived sets of the following (b) subsets of R:

$$A =]0, 1], \quad B = \left\{\frac{2n+1}{n} : n \in \mathbb{N}\right\}$$

$$C = \left\{-\frac{1}{n} : n \in \mathbb{N}\right\}$$

- (c) Define a Cauchy sequence in a metric space (X, d).
- (d) Define a topological space and give one example.

(e) Let

$$X = \{a, b, c\}$$
 and $\mathscr{T} = \{\phi, \{a\}, \{b\}, \{a, b\}, X\}$

is a topology on X. Find the derived set of $A = \{a, b\}.$

- Let T be the topology on N which consists of o and all subsets of the form $G_m = \{m, m+1, m+2, ...\}, m \in \mathbb{N}$. What are the open sets containing 4?
- What do you mean by a Banach space? Give one example.
- Answer the following questions: $2 \times 4 = 8$
 - (a) Show that every closed interval is a closed set in the usual metric on R.
 - (b) Let f be a mapping from \mathbb{R} into \mathbb{R} defined by

$$f(x) = \begin{cases} -2 & \text{when } x < 0 \\ 2 & \text{when } x \ge 0 \end{cases}$$

Examine whether f is continuous with respect to the usual topology on R.

- Let $(X, ||\cdot||)$ be a normed linear space and $x_n \to x$ and $y_n \to y$ in X. Show that $x_n + y_n \rightarrow x + y$.
- (d) Prove the parallelogram law in an inner product space $(X, \langle \cdot, \cdot \rangle)$.

3. Answer the following questions:

 $5 \times 3 = 15$

- (a) Let (X, d) be a metric space and A and B be subsets of X. Prove that-
 - (i) $A \subset B \Rightarrow D(A) \subset D(B)$
 - (ii) $D(A \cup B) = D(A) \cup D(B)$
- (b) Let X be any set and \mathcal{T} be the collection of all those subsets of X whose complements are finite together with the empty set. Show that T is a topology on X. What do you call this topology?

Or

Let (X, \mathcal{T}) be a topological space and $A \subset X$. Prove that $\overline{A} = A \cup D(A)$.

Show that \mathbb{R}^n is a normed linear space with some suitable norm.

Or

Let $(X, \langle \cdot, \cdot \rangle)$ be an inner product space. Prove that for all $x, y \in X$

$$4\langle x, y \rangle = ||x+y||^2 - ||x-y||^2 + i||x+iy||^2 - i||x-iy||^2$$

- 4. Answer the following questions: 10×3=30
 - Prove that every non-empty open set on the real line is the union of a countable class of pairwise disjoint open intervals.

A9/269

State and prove Cantor's intersection theorem for metric spaces.

(b) Let (X, d) be a metric space and $x_0 \in X$ be fixed. Show that the real-valued function $f_{x_0}(x) = d(x, x_0)$, $x \in X$ is continuous. Is it uniformly continuous? Let (Y, P) be another metric space and $f: X \to Y$ be a mapping. Prove that f is continuous if and only if the inverse image of every open set in Y is an open set in X.

O

Let X be a metric space and Y be a complete metric space. Let A be a dense subspace of X. If $f:A \rightarrow Y$ is uniformly continuous, then prove that f can be extended uniquely to a uniformly continuous mapping $g:X \rightarrow Y$.

(c) Prove that a metric space is compact if and only if it is complete and totally bounded.

Or

Let $\{A_{\lambda} : \lambda \in \Lambda\}$ be a family of connected subsets of a space X such that

The following property is $\bigcap_{\lambda \in \Lambda} A_{\lambda} \neq \emptyset$ with some $\bigcap_{\lambda \in \Lambda} A_{\lambda} \neq \emptyset$

Prove that $\bigcup_{\lambda \in \Lambda} A_{\lambda}$ is a connected set in X.

Alle outenfreetratorously

Particular to the first of the second contract of